EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	109	((CB PCB PWB ((circuit wiring) adj board)) same (mount$4 plac$5 grip$4)) and ((sens$4 detect$4 measur$5 gaug$4 monitor$4 identif$7 determin$5) with (operating adj frequency)) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 10:12
L2	134	(sensor with (operating adj frequency)) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 10:35
L3	888	700/95.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23
L4	1324	700/108.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23
L5	623	700/109.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23
L6	990	700/110.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23

L7	264	700/116.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23
L8	2812	700/121.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:23
L9	775	702/81.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L10	409	702/82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L11	234	702/83.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L12	621	702/84.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L13	2998	702/182.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L14	2108	702/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24

L15	730	702/184.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L16	1089	702/185.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L17	3428	29/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L18	4002	29/832.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L19	19274	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:24
L20	8	(((CB PCB PWB ((circuit wiring) adj board)) same (mount$4 plac$5 grip$4)) and ((sens$4 detect$4 measur$5 gaug$4 monitor$4 identif$7 determin$5) with (operating adj frequency)) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:25
L21	76	((Konrath with (Willibald W)) (Schmelcher with (Haiko H))).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:40
L22	53390	(Marconi Ericsson).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:40

L23	5	(((CB PCB PWB ((circuit wiring) adj board)) same (mount$4 plac$5 grip$4)) and ((sens$4 detect$4 measur$5 gaug$4 monitor$4 identif$7 determin$5) with (operating adj frequency)) and (21 22)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/13 11:40
S1	38	(assembl$4 fabricat$4 production manufactur $4 plac$5 mount$4 test $4 inspect$4).ab. and ((bore$4 hole) ((circuit wiring) adj board)) and ((microstrip with filter) (waveguide with junction) resonator (bore$4 hole) ((circuit wiring) adj board)) and ((inspect$4 test$4) same (mount$4 plac$5 grip$4)) and ((CB PCB PWB ((circuit wiring) adj board)) same (mount$4 plac$5 grip $4)) and ((sens$4 detect$4 measur$5 gaug$4 monitor$4 identif$7 determin$5) with frequency) and ((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and reject$4 and ("700"/$ "702"/$ "29"/ $ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/19 12:14
S2	60	(((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board)) with reject $4) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/19 12:23

S3	496	((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board)) with (reject $4 discard$4 fail$4 disapprov$4)) and ("700"/$ "702"/$ "29"/ $ "705"/$ "716"/$ "438"/$).ccls. not S2	US-PGPUB; USPAT	OR	ON	2010/10/19 12:58
S4	133	((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board)) with (reject $4 discard$4 fail$4 disapprov$4 accept $4)) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. not (S2 S3)	US-PGPUB; USPAT	OR	ON	2010/10/19 13:49
S5	8	(US-6539531-$ or US-6845491-$ or US-4627157-$ or US-4845843-$ or US-4850104-$ or US-5086397-$ or US-6329606-$ or US-6239983-$).did.	USPAT	OR	OFF	2010/10/19 13:58
S6	6	((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board)) with (reject $4 discard$4 fail$4 disapprov$4 accept $4)) and S5	US-PGPUB; USPAT	OR	ON	2010/10/19 13:58
S7	1	((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board)) with (reject $4 discard$4 fail$4 disapprov$4 accept $4)) and frequency and S5	US-PGPUB; USPAT	OR	ON	2010/10/19 13:58

S8	2	((sens$4 detect$4 measur$5 gaug$4 identif$9 determin$4) with frequency) and (((CB PCB PWB ((circuit wiring) adj board)) with reject$4) and camera and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/19 14:01
S9	12	((sens$4 detect$4 measur$5 gaug$4 identif$9 determin$4) with frequency) and (((CB PCB PWB ((circuit wiring) adj board)) with reject$4) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/19 14:02
S10	86	(((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test$4)) and reject$4 and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and camera	US-PGPUB; USPAT	OR	ON	2010/10/19 14:04
S11	12	(((CB PCB PWB ((circuit wiring) adj board)) with (inspect$4 test$4)) and reject$4 and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and ((operat$4 work$4) with frequency same (sens$4 detect$4 measur$5 determin$4 identif$9 camera)) and camera	US-PGPUB; USPAT	OR	ON	2010/10/19 14:06

S12	13	(((CB PCB PWB ((circuit wiring) adj board)) same (inspect$4 test $4)) and reject$4 and ("700"/$ "702"/$ "29"/ $ "705"/$ "716"/$ "438"/$).ccls. and ((operat$4 work$4) with frequency same (sens$4 detect$4 measur$5 determin$4 identif$9 camera)) and camera	US-PGPUB; USPAT	OR	ON	2010/10/19 14:07
S13	24	(((CB PCB PWB ((circuit wiring) adj board)) same (inspect$4 test $4)) and reject$4 and ("700"/$ "702"/$ "29"/ $ "705"/$ "716"/$ "438"/$).ccls. and (frequency same (sens $4 detect$4 measur$5 determin$4 identif$9 camera)) and camera	US-PGPUB; USPAT	OR	ON	2010/10/19 14:07
S14	36	(((CB PCB PWB ((circuit wiring) adj board)) same (inspect$4 test $4)) and (discard$4 reject$4) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and (frequency same (sens$4 detect$4 measur$5 determin$4 identif$9 camera)) and camera	US-PGPUB; USPAT	OR	ON	2010/10/19 14:11
S15	12	S14 not S13	US-PGPUB; USPAT	OR	ON	2010/10/19 14:11
S16	10	(((CB PCB PWB ((circuit wiring) adj board)) same (inspect$4 test $4)) and (discard$4 reject$4) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and (frequency same camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:13

S17	86	((CB PCB PWB $5board ((circuit wiring) adj board)) same (inspect$4 test $4)) and (discard$4 reject$4 accept$5 fail $4) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and (frequency same camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:19
S18	56	((CB PCB PWB $5board ((circuit wiring) adj board)) with (inspect$4 test $4)) and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and (frequency same camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:25
S19	125	reject$4 and ("700"/$ "702"/$ "29"/$ "705"/$ "716"/$ "438"/$).ccls. and (frequency with camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:33
S20	9	(inspect$4 test$4).ab. and reject$4 and ("700"/$ "702"/$ "29"/ $ "705"/$ "716"/$ "438"/$).ccls. and (frequency with camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:35
S21	143	(inspect$4 test$4).ab. and reject$4 and (frequency with camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:37
S22	66	(inspect$4 test$4).ab. and reject$4 and (frequency with camera) and (CB PCB PWB $5board ((circuit wiring) adj board))	US-PGPUB; USPAT	OR	ON	2010/10/19 14:38
S23	66	(inspect$4 test$4).ti. and reject$4 and (frequency with camera)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:39
S24	16	(inspect$4 test$4).ti. and reject$4 and (frequency with camera) and (high adj frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 14:39

S25	49	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor (integrated adj circuit) IC) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor (integrated adj circuit) IC) with (reject$4 discard$4)) and (camera same frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 15:39
S26	106	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor (integrated adj circuit) circuit$4 IC) with (inspect$4 test$4)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor (integrated adj circuit) circuit$4 IC) with (reject$4 discard$4)) and (camera same frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 15:43
S27	111	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (reject$4 discard$4)) and (camera same frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 15:46

S28	135	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test$4 camera)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (reject$4 discard$4)) and (camera same frequency) and ((work $4 operat$7) with frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 15:54
S29	7474	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (reject$4 discard $4 fail$4 throw$4 remov$4)) and ((camera optical$4 sensor) same (work$4 operat$7) with frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 16:00
S30	689	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (reject$4 discard $4 fail$4 throw$4 remov$4)) and ((camera optical$4 sensor) same (work$4 operat$7) with frequency) and (manufactur$4 assembl $4 production fabricat $4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:01

S31	295	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (reject$4 discard $4 fail$4 throw$4 remov$4)) and ((camera optical$4 sensor) same (work$4 operat$7) near2 frequency) and (manufactur$4 assembl $4 production fabricat $4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:04
S32	187	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test$4 reject$4 discard$4 fail $4 throw$4 remov$4)) and ((camera optical$4 sensor) same (work$4 operat$7) adj frequency) and (manufactur$4 assembl $4 production fabricat $4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:10
S33	73	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with ((inspect$4 test $4) and (reject$4 discard$4 fail$4 throw $4 remov$4))) and ((work$4 operat$7) adj frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:12

S34	73	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with ((inspect$4 test $4) and (reject$4 discard$4 fail$4 throw $4 remov$4 scrap$4))) and ((work$4 operat $7) adj frequency) and camera and (manufactur$4 assembl $4 production fabricat $4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:16
S35	22	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with ((inspect$4 test $4) and (reject$4 discard$4 fail$4 throw $4 remov$4 scrap$4))) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) adj frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:17
S36	304	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with ((inspect$4 test $4) and (reject$4 discard$4 fail$4 throw $4 remov$4 scrap$4))) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:17

S37	600	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with ((inspect$4 test$4 reject$4 discard$4 fail $4 throw$4 remov$4 scrap$4))) and ((sens $4 measur$4 detect$4 camera) with (CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) same frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:31
S38	220	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:37
S39	16	("20020067228" | "20030016026" | "20040095157" | "4494095" | "4707657" | "4833402" | "5680936" | "5539976" | "6020751" | "6084487" | "6618937" | "6681038" | "6816037" | "6870438" | "6938335" | "6801652").PN.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:39

S40	1	("20020067228" | "20030016026" | "20040095157" | "4494095" | "4707657" | "4833402" | "5680936" | "5539976" | "6020751" | "6084487" | "6618937" | "6681038" | "6816037" | "6870438" | "6938335" | "6801652").PN. and ((optical$7 camera) same frequency)	US-PGPUB; USPAT	OR	ON	2010/10/19 16:40
S41	12	("20020067228" | "20030016026" | "20040095157" | "4494095" | "4707657" | "4833402" | "5680936" | "5539976" | "6020751" | "6084487" | "6618937" | "6681038" | "6816037" | "6870438" | "6938335" | "6801652").PN. and frequency	US-PGPUB; USPAT	OR	ON	2010/10/19 16:40
S42	341	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj4 frequency) and camera and (manufactur$4 assembl$4 production fabricat$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:44
S43	121	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj4 frequency) and camera and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/19 16:47

S44	303	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj4 frequency) and ((optical$4 visual$4 camera) with (CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC)) and (test $4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 12:09
S45	1566	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj4 frequency) and ((optical$4 visual$4 camera sens$4 detect $4 determin$5 measur $5) with (CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) same frequency) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 12:21
S46	628	(((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with operat$7 adj4 frequency) and ((optical$4 visual$4 camera sens$4 detect $4 determin$5 measur $5) with (CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) same (operat$7 adj frequency)) and (test $4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 12:23

S47	477	S46 and ((test$4 inspect$4) with frequency) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 12:40
S48	72	S46 and ((test$4 inspect$4) with frequency) and (test$4 inspect$4).ab. and (reject$4 discard$4 scrap$4)	US-PGPUB; USPAT	OR	ON	2010/10/20 13:01
S49	28	S46 and ((test$4 inspect$4) with frequency) and (test$4 inspect$4).ab. and camera	US-PGPUB; USPAT	OR	ON	2010/10/20 13:12
S50	83	S46 and ((test$4 inspect$4) with frequency) and (test$4 inspect$4).ab. and (camera optical$4)	US-PGPUB; USPAT	OR	ON	2010/10/20 13:13
S51	119	S45 and ((camera optical$4) same frequency) and (inspect$4 test$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:21
S52	53	S45 and ((camera optical$4) same ((identif$9 measur$5 sens$4 detect$4 determin$5) with frequency)) and (inspect$4 test$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:24
S53	4	((optical$4 visual$4 camera sens$4 detect$4 determin$5 measur$5 read$4) with (CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with frequency same barcode) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:32
S54	15	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with frequency same barcode) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:32

S55	19	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) same (frequency with barcode)) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:34
S56	2	(operat$4 with frequency with barcode) and (test$4 inspect$4).ab.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:35
S57	81	(operat$4 with frequency with barcode)	US-PGPUB; USPAT	OR	ON	2010/10/20 13:36
S58	226	(operat$4 with frequency same barcode)	US-PGPUB; USPAT	OR	ON	2010/10/20 13:36
S59	79	(operat$4 with frequency with (test$4 inspect$4)) and barcode	US-PGPUB; USPAT	OR	ON	2010/10/20 13:37
S60	171	(operat$4 with frequency same (test $4 inspect$4)) and barcode	US-PGPUB; USPAT	OR	ON	2010/10/20 13:40
S61	162	(operat$4 with frequency same (test $4 inspect$4) same camera)	US-PGPUB; USPAT	OR	ON	2010/10/20 13:43
S62	216	(operat$4 adj4 frequency same camera) and (test$4 inspect$4).bsum.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:44
S63	37	(operat$4 adj4 frequency same camera) and (test$4 inspect$4).bsum. and ("700"/$ "702"/$ "382"/$ "29"/$ "324"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:46

S64	3101	(camera same (test$4 inspect$4)) and (((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (test$4 inspect$4).bsum. and ("700"/$ "702"/$ "382"/ $ "29"/$ "324"/$ "716"/ $ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:51
S65	2243	(camera same (test$4 inspect$4)) and (((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (test$4 inspect$4).ab. and ("700"/$ "702"/$ "382"/ $ "29"/$ "324"/$ "716"/ $ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:52
S66	125	(camera same (test$4 inspect$4)) and (((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test$4) with frequency) and (test$4 inspect$4).ab. and ("700"/$ "702"/$ "382"/$ "29"/$ "324"/$ "716"/$ "438"/$).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/20 13:53
S67	62	(camera same (test$4 inspect$4)) and (((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (test$4 inspect$4).ab. and ("700"/$ "702"/$ "382"/ $ "29"/$ "324"/$ "716"/ $ "438"/$).ccls. and (operat$4 adj4 frequency)	US-PGPUB; USPAT	OR	ON	2010/10/20 14:13

S68	12	(camera same (test$4 inspect$4)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (test$4 inspect$4).ab. and ("700"/$ "702"/$ "382"/ $ "29"/$ "324"/$ "716"/ $ "438"/$).ccls. and (operat$4 adj4 frequency) and (reject $4 discard$4 scrap$4)	US-PGPUB; USPAT	OR	ON	2010/10/20 14:16
S69	62	(camera same (test$4 inspect$4)) and ((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (test$4 inspect$4).ab. and ("700"/$ "702"/$ "382"/ $ "29"/$ "324"/$ "716"/ $ "438"/$).ccls. and (operat$4 adj4 frequency)	US-PGPUB; USPAT	OR	ON	2010/10/20 14:19
S70	62	S69 not S55	US-PGPUB; USPAT	OR	ON	2010/10/20 14:20
S71	50	S69 not S68	US-PGPUB; USPAT	OR	ON	2010/10/20 14:20
S72	1	"5086397".pn.	US-PGPUB; USPAT	OR	ON	2010/10/20 14:34
S73	10860	((CB PCB PWB ((circuit wiring) adj board) $5chip $5processor CPU (integrated adj circuit) circuit$4 IC) with (inspect$4 test $4)) and (control$4 same (reject$4 discard $4 scrap$4))	US-PGPUB; USPAT	OR	ON	2010/10/20 14:38

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L24	11	(operating and frequency and specific and feature and component and reject$4).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/13 11:43
L25	3	(operating and frequency and specific and feature and component and reject$4 and high and assembly).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/13 11:44
L26	1	(operating and frequency and specific and feature and component and reject$4 and high and assembly and encod$4).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/13 11:45
L27	2814	700/121.ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/13 11:45
L28	3129	29/832.ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/13 11:45

5/13/11 11:54:16 AM
C:\ Documents and Settings\ CKasenge\ My Documents\ EAST\ Workspaces\ 10573698A.wsp